accessiBe

https://lamorindacert.org

August 2026

Accessibility Remediation Report

This report shows how your website's accessibility improved in the last month, highlighting key issues automatically addressed by accessWidget - and their impact on usability and compliance



What this report shows

Pages selection

11 key pages were used in this report, selected by sitemap priority and relevance

Timeframe & counting

Each accessibility issue resolved during the previous month is counted as an improvement

Compliance disclaimer

This report shows automated improvements for reference only and does not certify accessibility compliance

Performance highlights

All metrics are based on the selected pages and reflect accessWidget activity

Automatic accessibility improvements

244

Development time saved

183 hours

Avoided WCAG violations


22

Accessibility fixes breakdown

Fixes by accessibility need



Top components fixed



Accessibility fixes per category

A category is a set of common accessibility challenges, detailing the impacted pages & a reference code snippet.

Interactive Content

102 fixes

What does it mean

Remediations for issues that relate to links, buttons, and for issues that apply to all interactive controls, including improvements related to labels, relationships, keyboard/touch operability, and valid use of ARIA.

Blind

Pages where applied

- /2013/03/26/announcement-1
- /2013/03/30/train-the-trainer-class
- /2013/04/08/758
- /2013/04/11/april-monthly-meeting
- /2013/05/27/ham-radio-frequencie...
- /2013/08/02/training-videos-added
- /2013/08/05/new-call-out-policy
- /2013/08/12/annual-exercise-plans-...
- /2013/08/14/message-phone-number
- /2013/09/04/there-is-still-time-to-...

Related accessibility rules

- Navigation links should have a descriptive label — 45 fixes
- Warning a user that a link navigates to the homepage is recommended — 22 fixes
- Buttons should be tagged for assistive technology — 14 fixes

Landmarks

66 fixes

What does it mean

Remediations for issues that affect content landmark regions, including improvements related to semantic structure, labels, and landmark navigation.

Blind

Pages where applied

- /2013/03/26/announcement-1
- /2013/03/30/train-the-trainer-class
- /2013/04/08/758
- /2013/04/11/april-monthly-meeting
- /2013/05/27/ham-radio-frequencie...
- /2013/08/02/training-videos-added
- /2013/08/05/new-call-out-policy
- /2013/08/12/annual-exercise-plans-...
- /2013/08/14/message-phone-number
- /2013/09/04/there-is-still-time-to-...

Related accessibility rules

- A list of navigation links is not contained in a navigation landmark — 22 fixes
- Header navigation should be labelled properly — 11 fixes
- Main navigation should be labelled properly — 11 fixes

General

52 fixes

What does it mean

Remediations for embedded content and other issues that do not belong to a specific category, including improvements related to visibility, valid use of ARIA, navigation order and avoidance of antipatterns.

Blind

Pages where applied

- /2013/03/26/announcement-1
- /2013/03/30/train-the-trainer-class
- /2013/04/08/758
- /2013/04/11/april-monthly-meeting
- /2013/05/27/ham-radio-frequencie...
- /2013/08/02/training-videos-added
- /2013/08/05/new-call-out-policy
- /2013/08/12/annual-exercise-plans-...
- /2013/08/14/message-phone-number
- /2013/09/04/there-is-still-time-to-...

Related accessibility rules

Visibly hidden content should not be exposed to assistive technology — 52 fixes

Forms

11 fixes

What does it mean

Remediations for issues that affect form controls, such as radio controls, checkboxes, comboboxes, and text input fields, including improvements related to semantic structure, labels, instructions, state, authentication, errors, and context changes.

Blind

Pages where applied

- /2013/03/26/announcement-1
- /2013/03/30/train-the-trainer-class
- /2013/04/08/758
- /2013/04/11/april-monthly-meeting
- /2013/05/27/ham-radio-frequencie...
- /2013/08/02/training-videos-added
- /2013/08/05/new-call-out-policy
- /2013/08/12/annual-exercise-plans-...
- /2013/08/14/message-phone-number
- /2013/09/04/there-is-still-time-to-...

Related accessibility rules

Interacting with form controls should not cause a change in context unless a user is notified beforehand — 11 fixes

Metadata

11 fixes

What does it mean

Remediations for issues that affect document-level settings, including improvements related to page title, default language, viewport configuration, and timed refresh behavior.

Vision Impaired

Pages where applied

- /2013/03/26/announcement-1
- /2013/03/30/train-the-trainer-class
- /2013/04/08/758
- /2013/04/11/april-monthly-meeting
- /2013/05/27/ham-radio-frequencie...
- /2013/08/02/training-videos-added
- /2013/08/05/new-call-out-policy
- /2013/08/12/annual-exercise-plans-...
- /2013/08/14/message-phone-number
- /2013/09/04/there-is-still-time-to-...

Related accessibility rules

Meta viewport should allow content scaling — 11 fixes

Text Content

2 fixes

What does it mean

Remediations for issues that affect textual elements, such as headings, paragraphs, and emphasized text, including improvements related to color contrast, content scalability, semantic structure, and contextual information.

Blind

Pages where applied

/2013/09/04/there-is-still-time-to-...

Related accessibility rules

Emphasis should be tagged properly for assistive technology — 1 fixes

Strong should be tagged properly for assistive technology — 1 fixes

Accessibility fixes per accessibility rule

An accessibility rule defines a requirement, grouping related issues and including a code snippet to help resolve the problem.

Visibly hidden content should not be exposed to assistive technology

52 fixes

What does it mean

When elements are visually hidden but still exposed to assistive technology, screen reader users may encounter content that should not be available in the current interface. This can obscure the current state of the page and lead to confusion about what information or controls are available.

General | WCAG 2.0 | Level A

Example fix

Selector:

```
div#et-secondary-menu
```

Element:

```
<div id="et-secondary-menu"> <div class="et_duplicate_social_icons" > <ul class="et-social-icons"> <li class="et-social-icon et-social-facebook"> <a href="https://www.facebook.com/LamorindaCERT/" class…
```

Navigation links should have a descriptive label

45 fixes

What does it mean

Activating navigation links enables users to navigate to a different page within the site. Links that do not contain visible text or labeled images should be assigned labels that inform screen reader users of their destination.

Interactive Content | WCAG 2.0 | Level A

Example fix

Selector:

```
a.icon
```

Element:

```
<a
href="https://www.facebook.com/La
morindaCERT/" class="icon">
<span>Facebook</span> </a>
```

A list of navigation links is not contained in a navigation landmark

22 fixes

What does it mean

Screen readers rely on accurate tagging and labeling to provide necessary context. If a navigation region is not tagged as a navigation landmark, screen reader users may lose orientation and find the page's structure difficult to understand.

Landmarks | General Guidelines

Example fix

Selector:

```
div#et-info
```

Element:

```
<div id="et-info"> <span id="et-info-phone">(925) 255-5143</span> <ul class="et-social-icons"> <li class="et-social-icon et-social-facebook"> <a href="https://www.facebook.com/LamorindaCERT/" class="i…
```

Warning a user that a link navigates to the homepage is recommended

22 fixes

What does it mean

It's good practice to ensure that users can always identify links to the homepage.

Interactive Content | General Guidelines

Example fix

Selector:

```
a
```

Element:

```
<a
href="https://lamorindacert.org/"
> <img
src="https://lamorindacert.org/wp
-
content/uploads/2017/12/Lamorinda
_CERT_hires_logo.jpg" width="122"
height="80" alt="Lamorinda CERT"
id="logo" data-height-p…
```

Buttons should be tagged for assistive technology

14 fixes

What does it mean

If interactive elements cannot be identified as buttons, screen reader users may not realize the element is actionable, which can stop them from submitting forms, opening dialogs, or performing other intended actions.

Interactive Content | WCAG 2.0 | Level A

Example fix

Selector:

```
a.et-pb-active-control
```

Element:

```
<a href="#" class="et-pb-active-control">1</a>
```

All of the main content on the page is contained in the main landmark

11 fixes

What does it mean

The main landmark represents the primary content of a page. It should include only content unique to that page and must remain separate from repeated elements, such as navigation, header, or footer.

Landmarks | WCAG 2.0 | Level A

Example fix

Selector:

```
div.container
```

Element:

```
<div class="container"> <div
id="content-area"
class="clearfix"> <div id="left-
area"> <article id="post-459"
class="et_pb_post post-459 post
type-post status-publish format-
standard has-post-thumbnail…
```

Header navigation should be labelled properly

11 fixes

What does it mean

Header navigation elements should have text available for screen readers explaining that it is header navigation.

Landmarks | WCAG 2.0 | Level A

Example fix

Selector:

```
nav#top-menu-nav
```

Element:

```
<nav id="top-menu-nav"> <ul
id="top-menu" class="nav"><li
id="menu-item-207" class="menu-
item menu-item-type-custom menu-
item-object-custom menu-item-home
menu-item-207"><a
href="https://lamorindacert…
```

Interacting with form controls should not cause a change in context unless a user is notified beforehand

11 fixes

What does it mean

Interacting with form controls shouldn't automatically submit a form or cause any other change in context without notifying the user in advance. Form controls that cause a context change on input can disorient a user, since the behavior is not expected.

Forms | WCAG 2.0 | Level A

Example fix

Selector:

```
form.et-search-form
```

Element:

```
<form role="search" method="get"
class="et-search-form"
action="https://lamorindacert.org
/"> <input type="search"
class="et-search-field"
placeholder="Search …" value=""
name="s" title="Search for:"> …
```

Main navigation should be labelled properly

11 fixes

What does it mean

Main navigation elements should have text available for screen readers explaining that it is the main navigation.

Landmarks | WCAG 2.0 | Level A

Example fix

Selector:

```
ul#top-menu.nav
```

Element:

```
<ul id="top-menu" class="nav"><li
id="menu-item-207" class="menu-
item menu-item-type-custom menu-
item-object-custom menu-item-home
menu-item-207"><a
href="https://lamorindacert.org/"
>Home</a></li> <li…
```

Meta viewport should allow content scaling

11 fixes

What does it mean

The meta viewport should allow scalability, typically with width=device-width, initial-scale=1, so text can be resized up to 200% without loss of functionality. Using user-scalable=no or maximum-scale=1 prevents users from enlarging content, making it difficult for people with low vision to read or interact.

Metadata | WCAG 2.0 | Level AA

Example fix

Selector:

```
meta
```

Element:

```
<meta name="viewport"
content="width=device-width,
initial-scale=1.0, maximum-
scale=1.0, user-scalable=0">
```

Warning a user when a link triggers a new browser window is recommended

11 fixes

What does it mean

It's good practice to warn users about the expected behavior when activating a link triggers a new window.

Interactive Content | General Guidelines

Example fix

Selector:

```
a
```

Element:

```
<a title="Instructor Guide"
href="http://www.citizencorps.gov
/cert/training_mat.shtm#guia"
target="_blank">Instructor
Guide</a>
```

Only elements that function as articles should be tagged as article regions

9 fixes

What does it mean

Using an <article> tag on content that is not self-contained and that cannot stand on its own outside the context of the page, such as a blog post, news story, or forum entry, causes screen readers to announce misleading information about the purpose the content in relation to the main subject of the page.

Landmarks | WCAG 2.0 | Level A

Example fix

Selector:

```
article#post-459.et_pb_post.post-459.post.type-post.status-publish.format-standard.has-post-thumbnail.hentry.category-homepage.category-news
```

Element:

```
<article id="post-459" class="et_pb_post post-459 post type-post status-publish format-standard has-post-thumbnail hentry category-homepage category-news"> <div class="et_post_meta_wrapper"> <h1 class…
```

Link context should be exposed to assistive technology

5 fixes

What does it mean

Screen reader users may find it difficult to distinguish between links when the purpose of each link cannot be determined from its text alone or together with its immediate context.

Interactive Content | WCAG 2.0 | Level A

Example fix

Selector:

```
a.icon
```

Element:

```
<a
href="https://www.facebook.com/La
morindaCERT/" class="icon">
<span>Facebook</span> </a>
```

Warning a user when a link triggers a PDF file is recommended

2 fixes

What does it mean

It's good practice to warn users about the expected behavior when activating a link triggers a PDF reader.

Interactive Content | General Guidelines

Example fix

Selector:

```
a
```

Element:

```
<a title="National and Community Service Trust Act of 1993 (PL 103-82)" href="http://www.californiavolunteers.org/documents/About_Us/ncsa1990.pdf" target="_blank">National and Community Service Trust …
```

An element without global site information is tagged as a contentinfo landmark

1 fixes

What does it mean

When a region without global site information is tagged as a contentinfo landmark, screen reader users may be misled about its purpose and expect website-level details, such as copyright or contact information.

Landmarks | General Guidelines

Example fix

Selector:

```
footer#main-footer
```

Element:

```
<footer id="main-footer"> <div
id="footer-bottom"> <div
class="container clearfix"> <ul
class="et-social-icons"> <li
class="et-social-icon et-social-
facebook"> <a
href="https://www.facebook.com/La
mori…
```

Emphasis should be tagged properly for assistive technology

1 fixes

What does it mean

Elements with emphasis importance should have the emphasis role. If not, screen reader users may not understand the emphasis of the text.

Text Content | WCAG 2.0 | Level A

Example fix

Selector:

```
i
```

Element:

```
<i>Orinda Night Out. </i>
```

Global site information that appears at the end of each page is contained in a contentinfo landmark (footer)

1 fixes

What does it mean

The contentinfo region, typically represented by the <footer> element, is found at the end of each page and provides screen reader users with information about the website, such as copyright, contact details, legal information, and navigation links.

Landmarks | General Guidelines

Example fix

Selector:

```
div.et_pb_section.et_pb_section_0
.et_section_regular
```

Element:

```
<div class="et_pb_section
et_pb_section_0
et_section_regular"> <div
class="et_pb_row et_pb_row_0">
<div class="et_pb_column
et_pb_column_4_4 et_pb_column_0
et_pb_css_mix_blend_mode_passthro
ugh et-last…
```

Strong should be tagged properly for assistive technology

1 fixes

What does it mean

Elements with strong importance should have the strong role. If not, screen reader users may not understand the importance of the text.

Text Content | WCAG 2.0 | Level A

Example fix

Selector:	Element:
i	Orinda Night Out.

Visual indication that a link's destination is the current page should be announced by screen readers

1 fixes

What does it mean

Visual cues are often used by sighted users to indicate which link represents the current page within a set of links. This information should be made available to screen reader users by assigning aria-current='page' to the link.

Interactive Content | WCAG 2.0 | Level A

Example fix

Selector:

```
a
```

Element:

```
<a
href="https://lamorindacert.org/"
> <img
src="https://lamorindacert.org/wp
-
content/uploads/2017/12/Lamorinda
_CERT_hires_logo.jpg" width="122"
height="80" alt="Lamorinda CERT"
id="logo" data-height-p…
```

Warning a user when a link triggers a mail application is recommended

1 fixes

What does it mean

It's good practice to warn users about the expected behavior when activating a link triggers a mail application.

Interactive Content | General Guidelines

Example fix

Selector:

```
a
```

Element:

```
<a title="Contact CERT"
href="mailto:cert@dhs.gov"
target="_blank">email</a>
```

Warning a user when a link triggers an image to open is recommended

1 fixes

What does it mean

It's good practice to warn users about the expected behavior when activating a link triggers an image to appear.

Interactive Content | General Guidelines

Example fix

Selector:

```
a
```

Element:

```
<a
href="https://lamorindacert.org/w
p-content/uploads/2013/09/Orinda-
Night-Out.png"><img
decoding="async" class="size-full
wp-image-871 aligncenter"
alt="Orinda Night Out"
src="https://lamorindacert.o…
```